

ADDENDUM, sw release 23.4:

Zeus® Series

This addendum documents new features that are included in this software release.

Feature	Page
Reset to factory*	3
S3100 sonar module support	3
Sailing processor integration	3
NMEA® 0183 Interface support	3
NMEA® 2000 remote button support	3
FLIR® M300 Series camera support	4

^{*} Only applies to Zeus®3S Glass Helm.

Reset to factory

To reset the unit to factory settings, press and hold the power key for about ten seconds. The Factory Reset dialog displays. Selecting **Yes** resets the unit to factory settings and permanently deletes all user-created data.

S3100 sonar module support

The S3100 is a dual channel sonar module that provides the MFD with support for ForwardScan® transducers.

For more information, refer to the documentation supplied with the product.

Sailing processor integration

The unit integrates with B&G's Triton[™] Edge[™] and Hercules[®] sailing processors. The Sailing Processor icon will be available in the **Tools** panel on the Home page when a Triton[™] Edge[™] or a Hercules[®] sailing processor is available on the network.

For more information about the Triton™ Edge™ and Hercules® sailing processors, refer to the separate documentation provided with the product.

NMEA 0183® Interface support

The MFD is compatible with the NMEA 0183° Interface device. The NMEA 0183° Interface device can be configured from the MFD. The device will decode NMEA 0183° and convert the data to NMEA 2000° and vice-versa.

For more information, refer to the documentation supplied with the product.

NMEA 2000® remote button support

The MFD is compatible with the NMEA 2000® remote button, an external push button connected to the NMEA® backbone, used to mark a crew overboard waypoint at the vessel's location.

For more information, refer to the documentation supplied with the product.



FLIR® M300 Series camera support

If a FLIR® camera is available on the Ethernet network, enable the feature in the **Advanced** settings dialog. This allows you to display video and control the camera from the MFD.



Copyright

©2023 Navico Goup. All Rights Reserved. Navico Group is a division of Brunswick Corporation.

Trademarks

®Reg. U.S. Pat. & Tm. Off, and ™ common law marks. Visit www.navico.com/intellectual-property to review the global trademark rights and accreditations for Navico Group and other entities.

- B&G® is a trademark of Navico Group.
- Edge™ is a trademark of Navico Group.
- FLIR® is a trademark of FLIR Systems, Inc.
- ForwardScan® is a trademark of Navico Group.
- Hercules® is a trademark of Navico Group.
- Navico® is a trademark of Navico Group.
- NMEA 0183® is a trademark of National Marine Electronics Association.
- NMEA 2000® is a trademark of National Marine Electronics Association.
- Triton™ is a trademark of Navico Group.
- Zeus® is a trademark of Navico Group.